



SUPERIOR PERFORMANCE FOR ATHLETES AND DRIVEWAY LEGENDS

At Ball Hog, we understand that different customers have different needs, which is why we offer two distinct basketball goal systems.

SELECT SERIES


ENERGY
ACCEL
VELOCITY
MOMENTUM

ASCENT SERIES

SUMMIT
PINNACLE
APEX
ZENITH



Ball Hog basketball goals are proudly MADE in the USA, not just assembled in the USA. Each goal is manufactured by skilled American welders to ensure that you and your family will be able to enjoy your new Ball Hog goal system for years to come.



The Ball Hog Select Series goals are designed to provide superior ball response for recreational residential use.

Pole: 7 gauge steel (3/16" wall thickness)


Backboard: 3/8" Tempered Glass

Hardware: 1/2" Anchor Bolts

Finish: High Gloss Acrylic Enamel

Accessories: Backboard and Pole Pad, Height Adjustment Lock


Overhang: 32" on Energy, 38" on Accel, 51" on Velocity



1

Internal Height Adjustment


Effortless rim height adjustment from 6' to 10'



2

H-Frame Construction

Built for consistent ball response



3

Ground Anchor Hinge

Allows for easy goal assembly, no ladders or scaffolding

Available Models

Velocity: 72" Backboard
6" Square Pole
(Shown with optional pole and backboard pads)

Accel: 60" Backboard
5" Square Pole

Energy: 54" Backboard
4" Square Pole

The Ball Hog Ascent Series goals are engineered for exceptional durability and consistent play in both commercial and residential applications.

Pole: 7 gauge steel (3/16" wall thickness) with welded steel cap


Backboard: 3/8" Tempered Glass or 1/2" Acrylic

Hardware: 3/4" Anchor Bolts

Finish: UV Stable Texturized Powder Coat

Accessories: Backboard and Pole Pad

Overhang: 36" on Summit & Pinnacle, 48" on Apex





The Ball Hog Momentum wall mount goal offers the same great features as our Select series but in a durable wall mount version for use indoors or out.

Wall Anchor Frame: 7 gauge angle iron (3/16" thick)

Backboard: 60" and 72", 3/8" Tempered Glass

Hardware: Zinc Plated Hardware

Finish: High Gloss Acrylic Enamel

Accessories: Backboard Pad

Overhang: 36"



1

External Height Adjustment

Effortless rim height adjustment from 6' to 10'



2

H-Frame Construction

Precise and consistent ball response



The Ball Hog Zenith fixed height goal leads the market in durability, rigidity, safety and style, even on the toughest courts!

Pole: 7 gauge steel (3/16" wall thickness) with welded steel cap

Backboard: 72", 1/2" Acrylic

Hardware: 3/4" Anchor Bolts

Finish: UV Stable Texturized Powder Coat

Accessories: Backboard and Pole Pad

Overhang: 36", 48" or 72"



1

Y-Frame Construction

Maximum stability and unobstructed, Clearview backboard



2

Aluminum Face Frame

Structural grade for added stability and protection